

## Author Index

- Adachi, K., see Kaneko, S. (27) 258  
 Agrawal, A., see Gnegy, M.E. (27) 195  
 Akaike, A., see Kaneko, S. (27) 258  
 Altschuler, S.M., see Broussard, D.L. (27) 329  
 Alvarez-Dolado, M., Iglesias, T., Rodríguez-Peña, A., Bernal, J. and Muñoz, A.  
 Expression of neurotrophins and the trk family of neurotrophin receptors in normal and hypothyroid rat brain (27) 249  
 Amindari, S., see Parnet, P. (27) 63  
 Aronin, N., see Peters, R.V. (27) 243  
 Bernal, J., see Alvarez-Dolado, M. (27) 249  
 Bernal, J., see Iñiguez, M.A. (27) 205  
 Black, K.L., see Boado, R.J. (27) 51  
 Boado, R.J., Black, K.L. and Pardridge, W.M.  
 Gene expression of GLUT3 and GLUT1 glucose transporters in human brain tumors (27) 51  
 Boone Jr., J.B. and McMillen, D.  
 Differential effects of prolonged restraint stress on proenkephalin gene expression in the brainstem (27) 290  
 Brewer, G., see Keiger, C.J. (27) 103  
 Broussard, D.L., Wiedner, E.B., Li, X. and Altschuler, S.M.  
 NMDAR1 mRNA expression in the brainstem circuit controlling esophageal peristalsis (27) 329  
 Bruce, J., see Schwartz, M.L. (27) 215  
 Brunke-Reese, D., see Parnet, P. (27) 63  
 Bullock, B.P., McNeil, G.P. and Dobner, P.R.  
 Synergistic induction of neurotensin gene transcription in PC12 cells parallels changes in AP-1 activity (27) 232  
 Calzà, L., see Giardino, L. (27) 87  
 Campagnoni, A.T., see Landry, C.F. (27) 1  
 Ceccatelli, S., see Giardino, L. (27) 87  
 Chen, D.-Z., see Ohkuma, S. (27) 145  
 Chen, S.-H., see Ohkuma, S. (27) 145  
 Chiang, L.W., Schweizer, F.E., Tsien, R.W. and Schulman, H.  
 Nitric oxide synthase expression in single hippocampal neurons (27) 183  
 Chowdrey, H.S., see Larsen, P.J. (27) 342  
 Clayton, D.F., see Nastiuk, K.L. (27) 299  
 Copeland, N.G., see Kavety, B. (27) 152  
 Coulter II, P.M., see Watson, J.B. (27) 323  
 Cowie, A., Ivanco, T.L. and Fahnestock, M.  
 Mouse NGF promoter upstream sequences do not affect gene expression in mouse fibroblasts (27) 58  
 Dahl, S.G., see Edvardsen, Ø. (27) 265  
 Dantzer, R., see Layé, S. (27) 157  
 Dantzer, R., see Parnet, P. (27) 63  
 Daunais, J.B., see Wang, J.Q. (27) 118  
 Ding, D., see Toth, M. (27) 315  
 Dobner, P.R., see Bullock, B.P. (27) 232  
 Dworetzky, S.I., Trojnecki, J.T. and Gribkoff, V.K.  
 Cloning and expression of a human large-conductance calcium-activated potassium channel (27) 189  
 Edvardsen, Ø. and Dahl, S.G.  
 A putative model of the dopamine transporter (27) 265  
 Elde, R., see Wick, M.J. (27) 37  
 Fahnestock, M., see Cowie, A. (27) 58  
 Farré, E.R., see Planas, A.M. (27) 127  
 Ferrer, I., see Planas, A.M. (27) 127  
 Fleischer, J., see Hiremagalur, B. (27) 138  
 Fletcher, C.F., see Kavety, B. (27) 152  
 Fukuhara, K., see Hiremagalur, B. (27) 138  
 Gall, C.M., see Rivera, S. (27) 12  
 Geertman, R., see Hiremagalur, B. (27) 138  
 George, J.M., see Nastiuk, K.L. (27) 299  
 Gerendasy, D., see Iñiguez, M.A. (27) 205  
 Giardino, L., Ceccatelli, S., Zanni, M., Hökfelt, T. and Calzà, L.  
 Regulation of VIP mRNA expression by thyroid hormone in different brain areas of adult rat (27) 87  
 Gnegy, M.E., Agrawal, A., Hewlett, K., Yeung, E. and Yee, S.  
 Repeated haloperidol increases both calmodulin and a calmodulin-binding protein in rat striatum (27) 195  
 Gold, S.J., see Rivera, S. (27) 12  
 Goujon, E., see Layé, S. (27) 157  
 Goujon, E., see Parnet, P. (27) 63  
 Gribkoff, V.K., see Dworetzky, S.I. (27) 189  
 Hewlett, K., see Gnegy, M.E. (27) 195  
 Heym, C., see Klimaschewski, L. (27) 167  
 Hiremagalur, B., Kvetnansky, R., Nankova, B., Fleischer, J., Geertman, R., Fukuhara, K., Viskupic, E. and Sabban, E.L.  
 Stress elicits trans-synaptic activation of adrenal neuropeptide Y gene expression (27) 138  
 Hökfelt, T., see Giardino, L. (27) 87  
 Hökfelt, T., see Kononen, J. (27) 347  
 Höllt, V., see Vanetti, M. (27) 45  
 Honkaniemi, J., see Kononen, J. (27) 347  
 Horn, G., see Vanetti, M. (27) 45  
 Iglesias, T., see Alvarez-Dolado, M. (27) 249  
 Ihara, Y., see Sawa, A. (27) 111  
 Iñiguez, M.A., Morte, B., Rodríguez-Peña, A., Muñoz, A., Gerendasy, D., Sutcliffe, J.G. and Bernal, J.  
 Characterization of the promoter region and flanking sequences of the neuron-specific gene RC3 (neurogranin) (27) 205  
 Inturrisi, C.E., see Jenab, S. (27) 95  
 Iqbal, Z. and Sze, P.Y.  
 Correlation between [<sup>125</sup>I]calmodulin binding and lipid fluidity in synaptic plasma membranes: effects of ethanol and other short-chain alcohols (27) 333  
 Ishimoto, I., see Otori, Y. (27) 310  
 Ivanco, T.L., see Cowie, A. (27) 58  
 Jenab, S. and Inturrisi, C.E.  
 Ethanol and naloxone differentially up-regulate delta opioid receptor gene expression in neuroblastoma hybrid (NG108-15) cells (27) 95  
 Jenkins, N.A., see Kavety, B. (27) 152  
 Jessop, D.S., see Larsen, P.J. (27) 342  
 Joh, T.H., see Min, N. (27) 281  
 Kaneko, S., Nakamura, S., Adachi, K., Akaike, A. and Satoh, M.  
 Mobilization of intracellular Ca<sup>2+</sup> and stimulation of cyclic AMP production by  $\kappa$  opioid receptors expressed in *Xenopus* oocytes (27) 258  
 Kashima, T., see Landry, C.F. (27) 1  
 Katsumata, S., see Yabuuchi, K. (27) 27  
 Katsura, M., see Ohkuma, S. (27) 145  
 Kavety, B., Jenkins, N.A., Fletcher, C.F., Copeland, N.G. and Morgan, J.I.  
 Genomic structure and mapping of precerebellin and a precerebellin-related gene (27) 152  
 Keiger, C.J., O'Steen, W.K., Brewer, G., Sorci-Thomas, M., Zehnder, T.J. and Rose, J.C.  
 Corticotropin releasing factor mRNA and peptide levels are differentially regulated in the developing ovine brain (27) 103  
 Kelly, P.A.T., see Yau, J.L.W. (27) 174  
 Kim, K.S., see Min, N. (27) 281  
 Kim, S.-Y., see Rosen, J.B. (27) 71  
 Klimaschewski, L., Reuss, S., Spessert, R., Lobron, C., Wevers, A., Heym, C., Maelicke, A. and Schröder, H.  
 Expression of nicotinic acetylcholine receptors in the rat superior cervical ganglion on mRNA and protein level (27) 167

- Kondo, H., see Owada, Y. (27) 355
- Kononen, J., Soinila, S., Persson, H., Honkaniemi, J., Hökfelt, T. and Pelto-Huikko, M.  
Neurotrophins and their receptors in the rat pituitary gland: regulation of BDNF and *trkB* mRNA levels by adrenal hormones (27) 347
- Kuriyama, K., see Ohkuma, S. (27) 145
- Kvetnansky, R., see Hiremagalur, B. (27) 138
- Landry, C.F., Watson, J.B., Kashima, T. and Campagnoni, A.T.  
Cellular influences on RNA sorting in neurons and glia: an in situ hybridization histochemical study (27) 1
- Larsen, P.J., Vrang, N., Møller, M., Jessop, D.S., Lightman, S.L., Chowdrey, H.S. and Mikkelsen, J.D.  
The diurnal expression of genes encoding vasopressin and vasoactive intestinal peptide within the rat suprachiasmatic nucleus is influenced by circulating glucocorticoids (27) 342
- Law, P.-Y., see Wick, M.J. (27) 37
- Layé, S., Parnet, P., Goujon, E. and Dantzer, R.  
Peripheral administration of lipopolysaccharide induces the expression of cytokine transcripts in the brain and pituitary of mice (27) 157
- Li, X., see Broussard, D.L. (27) 329
- Lightman, S.L., see Larsen, P.J. (27) 342
- Lin, X., see Wick, M.J. (27) 37
- Lobron, C., see Klimaschewski, L. (27) 167
- Loh, H.H., see Wick, M.J. (27) 37
- Maelicke, A., see Klimaschewski, L. (27) 167
- Matera, C. and Wardlaw, S.L.  
Aromatization is not required for androgen induced changes in proopiomelanocortin gene expression in the hypothalamus (27) 275
- Matsushita, M., see Sawa, A. (27) 111
- McGinty, J.F., see Wang, J.Q. (27) 118
- McMillen, D., see Boone Jr., J.B. (27) 290
- McNeil, G.P., see Bullock, B.P. (27) 232
- Mello, C.V., see Nastiuk, K.L. (27) 299
- Mikkelsen, J.D., see Larsen, P.J. (27) 342
- Min, N., Joh, T.H., Kim, K.S., Peng, C. and Son, J.H.  
5' Upstream DNA sequence of the rat tyrosine hydroxylase gene directs high-level and tissue-specific expression to catecholaminergic neurons in the central nervous system of transgenic mice (27) 281
- Minami, M., see Yabuuchi, K. (27) 27
- Minnerath, S.R., see Wick, M.J. (27) 37
- Mishina, M., see Mori, H. (27) 221
- Miyakawa, T., Yagi, T., Watanabe, S. and Niki, H.  
Increased fearfulness of Fyn tyrosine kinase deficient mice (27) 179
- Miyatake, T., see Sodeyama, N. (27) 320
- Miyazaki, Y., see Mori, H. (27) 221
- Møller, M., see Larsen, P.J. (27) 342
- Morgan, J.I., see Kavety, B. (27) 152
- Mori, H., Miyazaki, Y., Morita, T., Nitta, H. and Mishina, M.  
Different spatio-temporal expressions of three *otx* homeoprotein transcripts during zebrafish embryogenesis (27) 221
- Morita, T., see Mori, H. (27) 221
- Morte, B., see Iñiguez, M.A. (27) 205
- Muñoz, A., see Alvarez-Dolado, M. (27) 249
- Muñoz, A., see Iñiguez, M.A. (27) 205
- Nakai, Y., see Nakajo, S. (27) 81
- Nakajo, S., Shioda, S., Nakai, Y. and Nakaya, K.  
Localization of phosphonoprotein 14 (PNP 14) and its mRNA expression in rat brain determined by immunocytochemistry and in situ hybridization (27) 81
- Nakamura, S., see Kaneko, S. (27) 258
- Nakaya, K., see Nakajo, S. (27) 81
- Nankova, B., see Hiremagalur, B. (27) 138
- Nastiuk, K.L., Mello, C.V., George, J.M. and Clayton, D.F.  
Immediate-early gene responses in the avian song control system: cloning and expression analysis of the canary *c-jun* cDNA (27) 299
- Niki, H., see Miyakawa, T. (27) 179
- Nitta, H., see Mori, H. (27) 221
- Ohkuma, S., Chen, D.-Z., Katsura, M., Chen, S.-H. and Kuriyama, K.  
GABA<sub>A</sub> receptor stimulation enhances NMDA-induced Ca<sup>2+</sup> influx in mouse cerebral cortical neurons in primary culture (27) 145
- O'Steen, W.K., see Keiger, C.J. (27) 103
- Otori, Y., Shimada, S., Tanaka, K., Ishimoto, I., Tano, Y. and Tohyama, M.  
Marked increase in glutamate-aspartate transporter (GLAST/GluT-1) mRNA following transient retinal ischemia (27) 310
- Owada, Y., Tominaga, T., Yoshimoto, T. and Kondo, H.  
Molecular cloning of rat cDNA for cytosolic phospholipase A<sub>2</sub> and the increased gene expression in the dentate gyrus following transient forebrain ischemia [Molecular Brain Research 25 (1994) 364-368] (27) 355
- Oyama, F., see Sawa, A. (27) 111
- Pardridge, W.M., see Boado, R.J. (27) 51
- Parnet, P., Amindari, S., Wu, C., Brunke-Reese, D., Goujon, E., Weyhenmeyer, J.A., Dantzer, R. and W.Kelley, K.  
Expression of type I and type II interleukin-1 receptors in mouse brain (27) 63
- Parnet, P., see Layé, S. (27) 157
- Pelto-Huikko, M., see Kononen, J. (27) 347
- Peng, C., see Min, N. (27) 281
- Persson, H., see Kononen, J. (27) 347
- Peters, R.V., Aronin, N. and Schwartz, W.J.  
Circadian regulation of Fos B is different from c-Fos in the rat suprachiasmatic nucleus (27) 243
- Planas, A.M., Soriano, M.A., Ferrer, I. and Farré, E.R.  
Regional expression of inducible heat shock protein-70 mRNA in the rat brain following administration of convulsant drugs (27) 127
- Post, R.M., see Rosen, J.B. (27) 71
- Reuss, S., see Klimaschewski, L. (27) 167
- Rivera, S., Gold, S.J. and Gall, C.M.  
Interleukin-1 $\beta$  increases basic fibroblast growth factor mRNA expression in adult rat brain and organotypic hippocampal cultures (27) 12
- Rodríguez-Peña, A., see Alvarez-Dolado, M. (27) 249
- Rodríguez-Peña, A., see Iñiguez, M.A. (27) 205
- Rose, J.C., see Keiger, C.J. (27) 103
- Rosen, J.B., Kim, S.-Y. and Post, R.M.  
Differential regional and time course increases in thyrotropin-releasing hormone, neuropeptide Y and enkephalin mRNAs following an amygdala kindled seizure (27) 71
- Sabban, E.L., see Hiremagalur, B. (27) 138
- Saito, F., see Sodeyama, N. (27) 320
- Saito, K., see Sodeyama, N. (27) 320
- Satoh, M., see Kaneko, S. (27) 258
- Satoh, M., see Yabuuchi, K. (27) 27
- Sawa, A., Oyama, F., Matsushita, M. and Ihara, Y.  
Molecular diversity at the carboxyl terminus of human and rat tau (27) 111
- Schlaepfer, W.W., see Schwartz, M.L. (27) 215
- Schröder, H., see Klimaschewski, L. (27) 167
- Schulman, H., see Chiang, L.W. (27) 183
- Schwartz, M.L., Shneidman, P.S., Bruce, J. and Schlaepfer, W.W.  
Stabilization of neurofilament transcripts during postnatal development (27) 215
- Schwartz, W.J., see Peters, R.V. (27) 243
- Schweizer, F.E., see Chiang, L.W. (27) 183
- Seckl, J.R., see Yau, J.L.W. (27) 174
- Shenk, T., see Toth, M. (27) 315
- Shimada, S., see Otori, Y. (27) 310
- Shioda, S., see Nakajo, S. (27) 81
- Shneidman, P.S., see Schwartz, M.L. (27) 215
- Shores, M.M., Szot, P. and Veith, R.C.  
Desipramine-induced increase in norepinephrine transporter mRNA is not mediated via  $\alpha_2$  receptors (27) 337
- Sodeyama, N., Saito, F., Saito, K., Miyatake, T. and Yanagisawa, K.  
Developmental changes of sialylation of soluble  $\beta$ /A4 amyloid protein precursor derivatives in human cerebrospinal fluid (27) 320
- Soinila, S., see Kononen, J. (27) 347
- Son, J.H., see Min, N. (27) 281
- Sorci-Thomas, M., see Keiger, C.J. (27) 103
- Soriano, M.A., see Planas, A.M. (27) 127
- Spessert, R., see Klimaschewski, L. (27) 167
- Sutcliffe, J.G., see Iñiguez, M.A. (27) 205



- Sze, P.Y., see Iqbal, Z. (27) 333  
 Szijan, I., see Watson, J.B. (27) 323  
 Szot, P., see Shores, M.M. (27) 337  
 Tanaka, K., see Otori, Y. (27) 310  
 Tano, Y., see Otori, Y. (27) 310  
 Tohyama, M., see Otori, Y. (27) 310  
 Tominaga, T., see Owada, Y. (27) 355  
 Toth, M., Ding, D. and Shenk, T.  
     The 5' flanking region of the serotonin 2  
     receptor gene directs brain specific ex-  
     pression in transgenic animals (27) 315  
 Trojnacki, J.T., see Dworetzky, S.I. (27) 189  
 Tsien, R.W., see Chiang, L.W. (27) 183  
 Vaidya, U., see Wells, M.R. (27) 163  
 Vanetti, M., Ziolkowska, B., Wang, X., Horn,  
     G. and Höllt, V.  
     mRNA distribution of two isoforms of  
     somatostatin receptor 2 (mSSTR2A and  
     mSSTR2B) in mouse brain (27) 45  
 Veith, R.C., see Shores, M.M. (27) 337  
 Viskupic, E., see Hiremagalur, B. (27) 138  
 Vrang, N., see Larsen, P.J. (27) 342  
 Wang, J.Q., Daunais, J.B. and McGinty, J.F.  
     Role of kainate/AMPA receptors in in-  
     duction of striatal *zif/268* and prepro-  
     dynorphin mRNA by a single injection of  
     amphetamine (27) 118  
 Wang, X., see Vanetti, M. (27) 45  
 Wardlaw, S.L., see Matera, C. (27) 275  
 Watanabe, S., see Miyakawa, T. (27) 179  
 Watson, J.B., Szijan, I. and Coulter II, P.M.  
     Localization of RC3 (neurogranin) in rat  
     brain subcellular fractions (27) 323  
 Watson, J.B., see Landry, C.F. (27) 1  
 Wells, M.R. and Vaidya, U.  
     RNA transcription in axotomized dorsal  
     root ganglion neurons (27) 163  
 Wevers, A., see Klimaschewski, L. (27) 167  
 Weyhenmeyer, J.A., see Parnet, P. (27) 63  
 Wick, M.J., Minnerath, S.R., Lin, X., Elde,  
     R., Law, P.-Y. and Loh, H.H.  
     Isolation of a novel cDNA encoding a  
     putative membrane receptor with high  
     homology to the cloned  $\mu$ ,  $\delta$ , and  $\kappa$  opi-  
     oid receptors (27) 37  
 Wiedner, E.B., see Broussard, D.L. (27) 329  
 W.Kelley, K., see Parnet, P. (27) 63  
 Wu, C., see Parnet, P. (27) 63  
 Yabuuchi, K., Minami, M., Katsumata, S.  
     and Satoh, M.  
     Localization of type I interleukin-1 re-  
     ceptor mRNA in the rat brain (27) 27  
 Yagi, T., see Miyakawa, T. (27) 179  
 Yanagisawa, K., see Sodeyama, N. (27) 320  
 Yau, J.L.W., Kelly, P.A.T. and Seckl, J.R.  
     Increased glucocorticoid receptor gene  
     expression in the rat hippocampus fol-  
     lowing combined serotonergic and me-  
     dial septal cholinergic lesions (27) 174  
 Yee, S., see Gnegy, M.E. (27) 195  
 Yeung, E., see Gnegy, M.E. (27) 195  
 Yoshimoto, T., see Owada, Y. (27) 355  
 Zanni, M., see Giardino, L. (27) 87  
 Zehnder, T.J., see Keiger, C.J. (27) 103  
 Ziolkowska, B., see Vanetti, M. (27) 45

